



## Hose tube container, triple

### Material

Polyethylene plastic (HD-PE), black

### Execution

End-fitting and flange are fastened with 12 ea. VA rivets to the tube. The flange is riveted from inside to outside. The cover is riveted with three VA hinges (for Ø 160 mm with two hinges) to the flange. The cover is locked as standard with two double-bit security rotary bolts. The locking latches grasp behind the aluminum locking bracket.

### Scope of delivery

Tube complete with assembled/riveted lid (cover with flange) and end-fitting.  
2 two-way key.

### Accessories

- Tube support
- Other locking systems (p. 95)
- Door with flange on both sides
- Intermediate lengths possible

Ø x Thickness [mm]	Weight [kg/m]	Length [m]	Part no.	Price [€]
<b>160 x 3.9</b>	5.85	2.4	<b>120 24 300</b>	
		3.0	<b>120 30 300</b>	
		5.0	<b>120 50 300</b>	
		6.0	<b>120 60 300</b>	
		7.0	<b>120 70 300</b>	
		8.0	<b>120 80 300</b>	
		10.0	<b>120 99 300</b>	
<b>180 x 4.4</b>	7.44	2.4	<b>123 24 300</b>	
		5.0	<b>123 50 300</b>	
		6.0	<b>123 60 300</b>	
		7.0	<b>123 70 300</b>	
		10.0	<b>123 99 300</b>	
<b>200 x 4.9</b>	9.15	2.4	<b>122 24 300</b>	
		3.0	<b>122 30 300</b>	
		5.0	<b>122 50 300</b>	
		6.0	<b>122 60 300</b>	
		7.0	<b>122 70 300</b>	
		8.0	<b>122 80 300</b>	
		10.0	<b>122 99 300</b>	



1



2

## Hose tube container, triple

### 1 Fastening Clip

#### Material

Stainless steel, HD-PE schwarz

#### Execution

3-piece, comprising:

- Bend return, 50 x 3 mm, glossy
- Cover plate,
- Coach bolt DIN 603, M10 with flat washer and self-locking nut

#### Fixing advice

Max. distance between clips of 1.5 m, e.g. 5 m tube = at least 4 clips

### 2 Door and end cap

#### Material

Polyethylene plastic (HD-PE), black

#### Execution

Fully mounted door with flange incl. 2 security locks and 2 keys (standard: double bit), end cap separate.

Other locking systems (p. 95)

### Accessories

Article for Ø [mm]	Weight [kg]	Part.- No.	Price [€]
<b>Fastening clip</b>			
160	1.45	<b>420 00 001</b>	
<b>VA screws for mounting on vehicle (set)</b>			
M8 x 20 (4 pieces)	0.08	<b>419 00 002</b>	

### Spare parts

Article for Ø [mm]	Weight [kg]	Size [mm]	Part.- No.	Price [€]
<b>Door with flange</b>				
160	1.28	185 x 515 x 35	<b>420 00 302</b>	
180	1.53	215 x 580 x 35	<b>423 00 302</b>	
200	1.64	230 x 640 x 35	<b>422 00 302</b>	
200 With rounded corners	1.52	230 x 640 x 35	<b>422 00 382</b>	
<b>End cap</b>				
160	0.43		<b>420 00 005</b>	
180	0.45		<b>423 00 005</b>	
200	0.52		<b>422 00 005</b>	
<b>HD-PE tube, black</b>				
40 - 1000			<b>On request</b>	



## Compact hose tube container, triple

### Material

Polyethylene plastic (HD-PE), black

### Execution

End-fitting and flange are fastened with 9 ea. VA rivets to the tube. The flange is riveted from inside to outside. The cover is riveted with two VA hinges to the flange. The cover is locked standard with a double-bit security rotary bolt. The locking latches grasp behind the aluminum locking bracket.

### Scope of delivery

Tube complete with assembled/riveted lid (cover with flange) and end-fitting.  
1 two-way key.

### Accessories

- Other locking systems (p. 95)
- Door with flange on both sides
- Intermediate lengths possible

Ø x Thickness [mm]	Weight [kg/m]	Length [m]	Part no.	Price [€]
<b>160 x 3.9</b>	5.85	2.4	<b>121 24 300</b>	
		3.0	<b>121 30 300</b>	
		5.0	<b>121 50 300</b>	
		6.0	<b>121 60 300</b>	
		7.0	<b>121 70 300</b>	
		8.0	<b>121 80 300</b>	
		10.0	<b>121 99 300</b>	
<b>200 x 4.9</b>	9.15	2.4	<b>124 24 300</b>	
		3.0	<b>124 30 300</b>	
		5.0	<b>124 50 300</b>	
		6.0	<b>124 60 300</b>	
		7.0	<b>124 70 300</b>	
		8.0	<b>124 80 300</b>	
		10.0	<b>124 99 300</b>	



## Compact hose tube container, triple

### Door with flange and end cap

#### Material

Polyethylene plastic (HD-PE), black

#### Execution

Fully mounted door with flange incl. security lock (double bit) and 1 key. End cap separate.

Other locking systems (p. 95)

### Spare parts

Article for Ø [mm]	Weight [kg]	Size [mm]	Part no.	Price [€]
<b>Door with flange</b>				
160	0.97	350 x 330 x 35	<b>421 00 302</b>	
200	1.28	430 x 415 x 40	<b>424 00 302</b>	
<b>End cap</b>				
160	0.40		<b>421 00 005</b>	
200	0.48		<b>424 00 005</b>	
<b>HD-PE tube, black</b>				
40 – 1000			<b>On request</b>	